

SANKON

SELF-LEVELING LEVEL



SK-338D Auto Level

Standard Deviation For 1 Km Double -Run Levelling	1.0mm	Compensator Type	V-Shaped Wire Suspension
Magnification	38x	Non-Coaxial Error	$\leq 10'$
Clear Objective Aperture	40mm	Levelling Range	$\pm 7''$
Field of View	$1^{\circ}20'$	Battery	800mAh/3.7V
Shortest Focusing Distance	0.6m	Charging Port	Micro USB
Stadia Multiplying Constant	100	Working Range	$\pm 15'$
Sensitivity of Circular Level	$8'/2\text{mm}$	Connecting Size to Tripod	$5/8''$
Setting Accuracy	0.3"		

Sankon Technologies India Pvt Ltd.

D-91, Sector-6, Noida-201301, Uttar Pradesh Tel: 0120-4104677/4711

Mob: +91 99107 39627 | Email: jhasajjan@sankon.in

SANKON

Product Properties

Self-leveling

World pioneer self-leveling,
Voice Broadcast Technology,
Convenient to measure.

Structural Design

Hidden Screws designed with
Fortified Waterproof Technology,
Energy Absorption Hollow Design,
Resistance against fall or shake

HD imaging

unique Imaging Technology with
multi-Layer AR Coating,
High Contrast / Definition

SK-338D is equipped with pioneer self-leveling technology which has Intellectual Property Rights. The Auto Level has a self-leveling feature with working Range of $\pm 7^\circ$. It's voice broadcast function can deal with any noisy environment.

SK-338D Leveling system is world's pioneer technology. It provide repeated accuracy of 2mm/3'. The working temperature of SK-33D is -20°C to 50°C . The maximal leveling angle is $\pm 8^\circ$. This function lowers the measurement threshold, exempts operators error and eventually lift the efficiency along with reducing the construction and operators cost.





Battery system



High-performance lithium-ion battery equipped with a temperature module, this making it run smoothly in the Cold area.

The battery system has a unique stable recharge module. It can be charged by all types of phone chargers and portable power sources. It makes staff convenient and no longer need to worry about the charging problem.

The battery capacity is 800mAh which provides power up to 30days.



Voice module



High-Volume Voice Broadcasting Model which can work in noisy working conditions.

Press the leveling button, and it will play "leveling In the process, please wait", and play "Leveling completed" when leveling is finished.

It gives every operation step a voice prompt, reduces the operating error and improves work efficiency.

*The voice module could be customized to any other language as per requirement.

Sankon Technologies India Pvt Ltd.

D-91, Sector-6, Noida-201301, Uttar Pradesh Tel: 0120-4104677/4711

Mob: +91 99107 39627 | Email: jhasajjan@sankon.in